



CrowdSurf Glossary

Common Terms Glossary

File Extensions

Sounds Like	Written As	Example
Swif or Swift	SWF	When you test your movie, Flash SWF
Ping or P-N-G	PNG	
P-D-F	PDF	
Jiff	JIF	
J-peg	JPEG, JPG	
Doc	DOC	
T-X-T	TXT	
H-T-M-L or X-T-M-L	HTML or XHTML	

Companies / Software

Sounds Like	Written As	Example
Adobe	Adobe	
Linda dot com	lynda.com	
Coursera	Coursera	
Macromedia	Macromedia	
W and C	W3C	
After Effects	After Effects	
Bridge or Adobe Bridge	Bridge	
Flash / Flash player	Flash / Flash Player	
Quick time	QuickTime	
Internet explorer / I-E	Internet Explorer / IE	
Fire fox	Firefox	Mozilla Firefox browser available on both Windows and Mac.

Safari	Safari	
I tunes	iTunes	
Mac O-S ten / O-S ten	Mac OS X	Mac OS X is Apple's proprietary operating system.
Windows X-P / vista	Windows XP / Windows Vista	Internet Explorer 7.0 ships with the Windows Vista operating system.
Iphone / I phone	iPhone	
Ipad / I pad	iPad	
Windows phone seven	Windows Phone 7	
Lin-ix	Linux	Linux is an open source operating system.
Yun-ix	Unix	Unix is an operating system created in 1969 that is the basis for Linux and Mac OS X.
File maker pro	FileMaker Pro	FileMaker Pro is a desktop database solution.
Garage band	GarageBand	GarageBand is a Mac application that allows you to mix music on your home computer.
Action script	ActionScript	ActionScript 3.0 is the scripting language used in Flash CS3.
A jacks or Ajax	AJAX	
C plus plus or C sharp	C++ or C#	The operators used in ActionScript are similar to those used in C++.
Cold fusion	ColdFusion	
Java script	JavaScript	JavaScript is used for client-wide web development.
My s-q-l or my sequel	MySQL	
Ruby on rails	Ruby on Rails	
Pearl	PERL	PERL is a programming language.
P-H-P	PHP	
Wicky or Wikki	Wiki	A Wiki is a collaborative web application.
Sequel / S-Q-L	SQL	SQL is a programming language.
Apache	Apache	Apache is the most common type of web server.
Version six point 0	Version 6.0	

Government / Economic Institutions

Sounds Like	Written As	Example
Sterling zone	Sterling Zone	
Shengen zone, shengen agreement	Schengen Zone Schengen Agreement	
E-U European union	EU European Union	
I-M-F International monetary fund	IMF International Monetary Fund	
Magna carta	Magna Carta	
bill of rights	Bill of Rights	
keyoto protocol	Kyoto Protocol	
world bank	World Bank	
The fed The federal reserve	The Fed The Federal Reserve	
fomc	FOMC The Federal Open Market Committee	

Common Computer Terminology – use Cmd+F to search for a term

2D	Account at a Glance	ASP.NET
3D	AJAX (Asynchronous JavaScript and XML)	back-end
3G (Third generation)		BlackBerry
32-bit	AOP (Aspect Oriented Programming)	Boolean
64-bit	API (Application Programming Interface)	bundling and minification
.NET		Build Mobile Apps
/ (slash or forward slash)	API Docs	Build-time tool
\ (whack or backslash)	AppDelegate	bytecode

C# (C sharp)	email (one word)	href
C++ (C plus plus)	ETags	
cache	EULA (End User License Agreement - often pronounced you-la)	HTML
caching		HTML5
callback	EventReg	HTTP
CAML	Facebook	hex codes
Chakra	func (short for function) not funk.	I/O (i.e. input/output)
checkout		iBATIS
Chrome	front-end	Icenium
Cross-platform	geolocation	IDE
CSS	GIF	id Selector
CSS3	GitHub (sounds like get hub)	InnoDB
CTOR (click to open rate)	GridView	IE6
database (one word)	GUI (often pronounced gooey)	iFrame
dataset		Ifilter
Datasheet	GUID (pronounced gwid, or sometimes goo-id)	Imovable
dialogue	CamelCase- Common examples are PowerPoint or iPhone.	IntelliSense
disk		Interface Builder
DLL		iOS
DOM	GUID (pronounced gwid, or sometimes goo-id)	iPad
double-click	gzip	iPhone
download	heuristic	iPod
drop-down	hextets	JAR (Java ARchive)
ECMAScript 5	hi-fi	JavaScript
embedding	home page	JPA (Java Persistence API)
enum		

JPEG	MVC Application	pop-up
jQuery	Nancy Fx	PowerPoint
JSLint	NetBeans	Protein Tracker
JSON	Nodemon	readme file
JSON object	NPM (referring to Raspberry Pi) -Node Package Manager	RectangleF
JsRender		REST-based API
JUnit	nth-child selector	RESTful
just-in-time	NuGet	RGBA (relating to color)
Karma	NXML	right-click
Kendo UI	OAuth	RDP (remote desktop Session)
lambda expressions	Objective-C	Ruby on Rails
latitude/longitude	OData	Runtime (one word)
lifecycle	OK (when referring to the button)	Salesforce
left-click		SATA
Linux	Okay (when used as an expression of speech)	ScriptBlock
Mac OS	OnClick	Scott Hanselman (blogger)
metadata	Open Source	sign up
mi-fi	P/Invoke	SignalR
middleware	PhoneGap	Socket.IO
minify	plugin	solid-state (usually referring to hard disks or hard drives)
Modernizr (note the 'zr' spelling not 'zer')	Pluralsight	SQL (pronounced Sequel and is an acronym for Structured Query Language)
modulo (slang meaning "except for")	POCO (Plain Old CRL Object)	
MonoDevelop	POJO (Plain Old Java Object)	
MonoTouch	POM (Project Object Model)	stand-alone

SSH	UTF-8	Wi-Fi
SSHD (Solid State Hard Disk)	versus (used in comparison)	WinJS
SQLskills.com	V8	WS (Web Services)
sub-site	web.config	WYSIWYG (pronounced "whizzy wig") - What You See Is What You Get
sub views	WebOS	Xamarin
Thead (spoken T head)	Web page	XAML (sometimes pronounced zamel)
TIFF	Webcam	XAP (Zap)
TrainSignal	WebDAV	Xcode
Twitter Bootstrap	WebKit	Xpath
un-validated (different from invalidated)	website (is one word)	XML
URL (often pronounced earl)	WebSockets	XSLT
	WebStorm	

Your Notes:
